

Work Order ID 159567

Wednesday, April 12, 2017 4:13:03 PM

159567

Page 1

Item ID: D2574 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Aft, In
 Start Date: 4/19/2017 Start Qty: 8.00 ***8*** Cust Item ID:
 Required Date: 5/2/2017 Req'd Qty: 8.00 ***8*** Customer:
 Reference: SCHEDULED/S

Approvals: Process Plan: **DAS 21** Date: APR 13 2017 Tooling: _____ Date: _____
 QC: **9-89** Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2574	F								

100
100
 HAAS 1
 HAAS CNC vertical machine #1
 HAAS CNC VERTICAL MACHINING #1
 2.08
 Memo
 Program Batch No. 159567
 Double check by: FK
 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets
 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA051 and insp
 7 1
DAS 14 9-89
 17/05/01
 (PTD) →

110
110
 Mill Conv
 Conventional Milling Machine
 CONVENTIONAL MILLING MACHINE
 0.00
 Memo
 Machine keyway as per dwg D2573 & D2574
 0.24
 7 6
DAS 49 9-89
 17/05/01

DQA:

Date: 2017-07-10

QA Closed:

Date:

JUL 04 2017

WORK ORDER NON-CONFORMANCE / UPDATE

Work Order update only ☐


Work Order: 159567		DISPOSITION		AGAINST DEPARTMENT/PROCESS			
Part No. D2574		Rework ☐		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐
NCR No. 17-6500		Scrap ☒		Machining ☒	Small Fab ☐	Prod. Eng. Coord. ☒	Quality ☐
		Use-as-is ☐		Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
		Suspected Unapproved ☐		Large Fab ☐	Composite ☐	Supplier ☐	
Date: 17/05/01		Step #: 100		QTY Effective: 1		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition				DAS 9 9-89 17-05-04	
1 part scrap. the drill broke during drilling. dont raise enough to clear the part. change the prog.		Scrap and destroy replace Qty 1 Batch fix prog.				Completed By DAS 14 9-89 17/05/01	
						Lead hand / Supervisor Approval Verification DAS 38 9-89 MAY 04 2017	
						QC / QA Coordinator Approval DAS 9 9-89 17-05-04	
Root Cause		FAULT CATEGORY					
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☒	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☒	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	☒ Drill Holes	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐						
Misidentified ☐	Past Due ☐	OTHER :					

Wednesday, April 12, 2017 4:13:03 PM

159567

Page 2

N900040100

Setup Start *NS1*

Stop *NS2*

g

Cust Item ID:

g

Customer:

Reference: SCHEDULED/S

Run Start *NR1*

Stop *NR2*

**DAS
49
9-89**

120

0.08

DAS
14
~~9-89~~

130

0.16

DAS
44
9-89

0.00

140

0.68

Hand Finishing

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 159567

Wednesday, April 12, 2017 4:13:03 PM

159567

Page 3

Item ID: D2574 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Aft, In
Start Date: 4/19/2017 Start Qty: 8.00 ***8*** Cust Item ID:
Required Date: 5/2/2017 Req'd Qty: 8.00 ***8*** Customer:
Reference: SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum <i>M13A176</i> Memo START TIME: <u>8:05</u> OVEN TEMPERATURE: <u>320°</u> FINISH TIME: <u>8:55</u>	0.00 0.16				<u>7</u>	<u>0</u>	<u>17-05-17</u>	<u>338</u>
160 *160* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.08				<u>7</u>			DAS 38 9-80 MAY 17 2017
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <u>S398</u> Memo	0.00 0.08				<u>7</u>		MAY 18 2017	DAS 6 9-80

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
								QC / QA Coordinator Approval			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐						Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐											

Work Order ID 159567***159567***

Page 4

Wednesday, April 12, 2017 4:13:03 PM

Item ID: D2574 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Aft, In
Start Date: 4/19/2017 Start Qty: 8.00 ***8*** Cust Item ID:
Required Date: 5/2/2017 Req'd Qty: 8.00 ***8*** Customer:
Reference: SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.80							
Quality Control									

DAS
21 MAY 18 2017
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Wednesday, April 12, 2017 4:13:03 PM

Page 1

Work Order ID: 159567

159567

Parent Item: D2574

D2574

Parent Item Name: Saddle, Aft, In

Start Date: 4/19/2017

Required Date: 5/2/2017

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev: I As Per RevE 06-01-27 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-005		Manufactured	No			110	Each	16.0000	1	8			
D6101-005									**				
Saddle Billet													

DAS
44
9-09

17-04-28

Location

Loc Qty

Loc Code

MAT041

16

158101

16

8

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

DART AEROSPACE LTD		Work Order:	159567
Description: Saddle, Aft Inboard		Part Number:	D2574
Inspection Dwg: D2574 Rev. F		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	SCRAP	2	3	4		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010			7.997	7.998	7.999		
F	0.490	0.510			0.500	0.497	0.499		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.378	.378	.378	.378		
I	0.490	0.510		.500	.498	.498	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.566	.564	0.564		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.124	.124	.124	.124		
R	0.240	0.260		.252	.251	0.251	0.252		
S	0.115	0.135		.126	.126	0.126	.125		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.236	.239	0.240	0.239		
W	0.115	0.135			0.121	0.122	0.119		
X	0.307	0.312			0.311	0.311	0.311		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372			0.370	0.370	0.370		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		0.625	0.625	0.625	0.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.246	.249	0.251	0.251		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.135	.135	.135	.135		
AG	0.240	0.280		.270	.270	0.250	0.250		
AH	0.240	0.260		.247	.249	0.246	0.244		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		

Accept/Reject

DAS

DAS

Measured by:	9-89	49
Date:	12/05/01	9-89

Audited by:	44
Date:	17-05-05

Rev	Date	Change	Revised by	Approved
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 159567
Description: Saddle, Aft Inboard	Part Number: D2574
Inspection Dwg: D2574 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:


Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		0.438	0.438	0.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	7.998		
F	0.490	0.510		0.498	.491	0.496	.497		
G	0.257	0.262		0.257	0.257	0.257	.258		
H	0.375	0.380		0.375	0.375	0.375	.378		
I	0.490	0.510		0.496	0.496	0.496	.498		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.567	0.567	0.568	.566		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		0.120	0.120	0.120	.135		
Q	0.115	0.135		0.125	0.125	0.125	.125		
R	0.240	0.260		0.250	0.250	0.250	.251		
S	0.115	0.135		0.122	0.118	0.120	.125		
T	0.178	0.198		0.188	0.188	0.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0.233	0.237	0.234	.239		
W	0.115	0.135		0.120	0.119	0.118	.118		
X	0.307	0.312		0.312	0.312	0.317	.310		
Y	0.760	0.765		.760	.760	.760	.762		
Z	0.352	0.372		0.363	0.363	0.363	.363		
AA	0.470	0.530		0.500	.500	.500	.500		
AB	0.615	0.635		0.625	0.625	0.625	.625		
AC	0.053	0.073		0.063	0.063	0.063	.063		
AD	0.240	0.260		0.245	0.247	0.247	.249		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.125	.125	.125	.135		
AG	0.240	0.280		0.250	0.250	0.250	.265		
AH	0.240	0.260		0.241	0.243	0.247	.249		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.037	0.033	.033		

Accept/Reject

Measured by: 9-89
Date: 17/05/03

Audited by: 44
Date: 17-05-05

Rev	Date	Change	Revised by	Approved
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 159567 MW

1704-13

